

Submit one form per site, per week of sampling.

Contract Laboratory Program (CLP) and/or Houston Lab Request for Regional Projections for January 2001 for R6 (please use a separate form for CLP/Houston Lab)

Site Name: Domingo Railroad Dumpsite

Projected Sampling Week: January 28, 2001

CLP (☒) Houston Lab (☐)

Routine Analytical Services (RAS)

SOW	OLM04.2	OLM04.2 TA	OLM04.2 TA	OLM04.2 TA	Low Conc. Organic Drinking Water SOW(OLC03.2)
Organic Analysis	Preliminary Results **	7- day	14- day	21- day	14- day TA only
Full TCL				25 Soil	
VOA only					
BNA only					
Pest/PCB					

** = 48 hrs for VOA's / 72 hrs for BNA & Pest/PCB's / Note: Preliminary Results can only be requested with 7 - day TA for hardcopy data package.

Method 5035 - For VOA analysis of soils

	# of low concentration samples	# of medium concentration samples
ENCORES	—	—
Pre-Weighed Vials (Closed System Vials)	—	—

Inorganic Analysis ILM04.1	Preliminary Results (72 hrs)	7- day TA	14- day TA	21- day TA
TAL Metals + CN				25 Soil
TAL Metals only				
CN only				
Dissolved Metals				

Non-Routine Analytical Services: Please note that no RAS IFB is currently in place for these. This information is used by EPA HQ for future planning.

Water Quality Parameters	
PCB Congeners	
Dioxins/Furans	

Signature of SAM, RPM, OSC

Mail Code

Date

Type of contract + contractor

998134

Please FAX to: Myra Perez, External Lab. Oversight Team, (281/983-2124)



Submit one form per site, per week of sampling.

Contract Laboratory Program (CLP) and/or Houston Lab Request for Regional Projections for January 2001 for R6 (please use a separate form for CLP/Houston Lab)

Site Name: Domingo Railroad Dumpsite

Projected Sampling Week: January 28, 2001

CLP () Houston Lab (✓)

Routine Analytical Services (RAS)

SOW	OLM04.2	OLM04.2 TA	OLM04.2 TA	OLM04.2 TA	Low Conc. Organic Drinking Water SOW(OLC03.2)
Organic Analysis	Preliminary Results **	7- day	14- day	21- day	14 - day TA only
Full TCL					<u>3 4 water</u>
VOA only					
BNA only					
Pest/PCB					

** = 48 hrs for VOA's / 72 hrs for BNA & Pest/PCB's / Note: Preliminary Results can only be requested with 7 - day TA for hardcopy data package.

Method 5035 - For VOA analysis of soils

	# of low concentration samples	# of medium concentration samples
ENCORES	<u>—</u>	<u>✓</u>
Pre-Weighed Vials (Closed System Vials)	<u>—</u>	<u>—</u>

Inorganic Analysis ILM04.1	Preliminary Results (72 hrs)	7- day TA	14- day TA	21 - day TA
TAL Metals + CN			<u>4 water</u>	
TAL Metals only				
CN only				
Dissolved Metals				

Non-Routine Analytical Services: Please note that no RAS IFB is currently in place for these. This information is used by EPA HQ for future planning.

Water Quality Parameters	
PCB Congeners	
Dioxins/Furans	

Signature of SAM, RPM, OSC

Mail Code

Date

Type of contract + contractor

Please FAX to: Myra Perez, External Lab. Oversight Team, (281/983-2124)